



AfriGreen[®]
African Green Distribution (Pty)




Pressure Control Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

ART 642

Gunmetal Safety Valve BSPP Female (ISO 228/1)


16 Bar Rated • -50°C to +195°C • EPDM Diaphragm • WRAS Approved

| Image | Size | Public Price | Spec Sheet |
|--|--------|--------------|---|
|  CE WRAS | 1/2" | R7,179.87 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 3/4" | R8,241.08 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 1" | R10,892.96 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 1 1/4" | R15,158.58 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 1 1/2" | R20,306.43 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 2" | R25,624.44 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 2 1/2" | #VALUE! | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |

ART 645

Gunmetal High Discharge Safety Valve BSPP Female (ISO 228/1)


16 Bar Rated • -50°C to +195°C • EPDM Diaphragm • WRAS Approved

| Image | Size | Public Price | Spec Sheet |
|--|--------|--------------|---|
|  CE WRAS | 1/2" | R8,754.73 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 3/4" | R11,224.48 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 1" | R15,860.02 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 1 1/4" | R22,305.91 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 1 1/2" | R29,247.36 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 2" | R42,261.84 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |

ART 642 FL

Gunmetal Safety Valve DIN Flange PN16 BSPP Female (ISO 228/1)


16 Bar Rated • -50°C to +195°C • EPDM Diaphragm • WRAS Approved

| Image | Size | Public Price | Spec Sheet |
|--|--------|--------------|---|
|  CE WRAS | 1" | R26,502.37 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 1 1/4" | R25,545.80 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 1 1/2" | R34,707.74 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 2" | R49,061.15 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |
| | 2 1/2" | R65,630.08 | https://drive.google.com/file/d/1qnBkbGM0vpSnQVpFHFLuZMx3WPatvW03/view?usp=sharing |

ART 645 FL

Gunmetal Safety Valve DIN Flange PN16 BSPP Female (ISO 228/1)

16 Bar Rated • -50°C to +195°C • EPDM Diaphragm • WRAS Approved

| Image | Size | Public Price | Spec Sheet |
|--|--------|--------------|---|
|  CE WRAS | 1" | R23,151.53 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 1 1/4" | R30,684.15 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 1 1/2" | R42,266.58 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |
| | 2" | R56,474.91 | https://drive.google.com/file/d/1SnWWjtbWNLm0dyZvPCASZnSInVLn8W8s/view?usp=sharing |



Pressure Control Valves

| Image | Size | Public Price | Spec Sheet |
|-------|------|--------------|------------|
|-------|------|--------------|------------|

ART 810

Brass Atmospheric Discharge Safety Valve BSPP Male (ISO 228/1)

50 Bar Rated • -60°C to +225°C • PTFE Seal • PED 2014/68/EU


| Image | Size | Public Price | Spec Sheet |
|--|------|--------------|---|
|   | 1/4" | R1,655.08 | https://drive.google.com/file/d/1Ss3ZrlrszlhxOSeeVqiA56Xc7QAoxSwG/view?usp=sharing |
| | 3/8" | R1,655.08 | https://drive.google.com/file/d/1Ss3ZrlrszlhxOSeeVqiA56Xc7QAoxSwG/view?usp=sharing |
| | 1/2" | R1,655.08 | https://drive.google.com/file/d/1Ss3ZrlrszlhxOSeeVqiA56Xc7QAoxSwG/view?usp=sharing |
| | 3/4" | R2,328.96 | https://drive.google.com/file/d/1Ss3ZrlrszlhxOSeeVqiA56Xc7QAoxSwG/view?usp=sharing |
| | 1" | R3,081.48 | https://drive.google.com/file/d/1Ss3ZrlrszlhxOSeeVqiA56Xc7QAoxSwG/view?usp=sharing |

Please note prices shown in red are items on a lead time.

ART 451

Stainless Steel Safety Valve BSPP Female (ISO 228/1)



70 Bar Rated • -60°C to +225°C • PTFE Seal • PED 2014/68/EU

| Image | Size | Public Price | Spec Sheet |
|---|--------|--------------|---|
|   | 1/2" | R45,209.31 | https://drive.google.com/file/d/1YUHSL9bhVR42jTtHsn48Kwgd6j5YkPZM/view?usp=sharing |
| | 3/4" | R53,656.48 | https://drive.google.com/file/d/1YUHSL9bhVR42jTtHsn48Kwgd6j5YkPZM/view?usp=sharing |
| | 1" | R64,511.47 | https://drive.google.com/file/d/1YUHSL9bhVR42jTtHsn48Kwgd6j5YkPZM/view?usp=sharing |
| | 1 1/4" | R82,065.45 | https://drive.google.com/file/d/1YUHSL9bhVR42jTtHsn48Kwgd6j5YkPZM/view?usp=sharing |
| | 1 1/2" | R90,575.44 | https://drive.google.com/file/d/1YUHSL9bhVR42jTtHsn48Kwgd6j5YkPZM/view?usp=sharing |
| | 2" | R97,777.23 | https://drive.google.com/file/d/1YUHSL9bhVR42jTtHsn48Kwgd6j5YkPZM/view?usp=sharing |

ART 452

Stainless Steel Safety Valve BSPP Male (ISO 228/1)



25 Bar Rated • -60°C to +225°C • PTFE Seal • PED 2014/68/EU

| Image | Size | Public Price | Spec Sheet |
|--|------|--------------|---|
|   | 3/8" | R15,057.57 | https://drive.google.com/file/d/1ygQRF3PSkCEcz1ET0BG7Y6Mve2gMhk-q/view?usp=sharing |
| | 1/2" | R18,818.12 | https://drive.google.com/file/d/1ygQRF3PSkCEcz1ET0BG7Y6Mve2gMhk-q/view?usp=sharing |
| | 3/4" | R20,741.44 | https://drive.google.com/file/d/1ygQRF3PSkCEcz1ET0BG7Y6Mve2gMhk-q/view?usp=sharing |
| | 1" | R23,842.35 | https://drive.google.com/file/d/1ygQRF3PSkCEcz1ET0BG7Y6Mve2gMhk-q/view?usp=sharing |

ART 617


Gunmetal Pressure Relief Valve BSPP Female (ISO 228/1)

20 Bar Rated • -60°C to +225°C • PTFE Seal

| Image | Size | Public Price | Spec Sheet |
|--|------------|---|---|
|   | 3/8" | R5,096.32 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing |
| | 1/2" | R4,834.86 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing |
| | 3/4" | R6,300.12 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing |
| | 1" | R8,308.42 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing |
| | 1 1/4" | R11,573.16 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing |
| | 1 1/2" | R16,970.50 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing |
| 2" | R24,880.06 | https://drive.google.com/file/d/1e1qjGU_dq9e0u04ilu-e_81BSDDajztC/view?usp=sharing | |


ART 622

Pressure Control Valves

| Image | Size | Public Price | Spec Sheet |
|--|------------|---|---|
| Brass Adjustable Pressure Relief Valve BSPP Female (ISO 228/1) 0-16 Bar Rated • 0°C to +150°C •Screwed BSP Parallel | | | |
|  CE | 1/2" | R1,905.70 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| | 3/4" | R2,526.47 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| | 1" | R3,424.06 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| | 1 1/4" | R5,068.75 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| | 1 1/2" | R6,271.42 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| | 2" | R8,752.70 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| | 2 1/2" | R18,778.57 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing |
| 3" | R22,785.21 | https://drive.google.com/file/d/1TfLmuqB1ChHoFCHNUVCQU-5Ve22K_KmQ/view?usp=sharing | |

ART 417


Stainless Steel Pressure Relief Valve BSPP Female (ISO 228/1)
20 Bar Rated • -60°C to +225°C • PTFE Seal

| Image | Size | Public Price | Spec Sheet |
|---|------------|---|---|
|  CE | 3/8" | R18,070.80 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing |
| | 1/2" | R22,852.10 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing |
| | 3/4" | R25,086.83 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing |
| | 1" | R29,025.23 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing |
| | 1 1/4" | R31,672.14 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing |
| | 1 1/2" | R31,946.71 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing |
| 2" | R38,861.95 | https://drive.google.com/file/d/1vH_0YYu458qmUUu2od5S4tCzDTlakkE/view?usp=sharing | |

Please note prices shown in red are items on a lead time.


ART 681 M

Gunmetal Pressure Reducing Valve BSP Taper M/M Ends (ISO 7/1)
40 Bar Rated • -10°C to +95°C • Outlet Pressure 1 to 8 Bar (Pre-set at 3 Bar)
Union Tail Pcs included • Optional Pressure Gauge •WRAS Approved
PED 2014/68/EU • BS EN 1567:1999 approved

| Image | Size | Public Price | Spec Sheet |
|---|--------|--------------|---|
|  WRAS | 1/2" | R4,367.31 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 3/4" | R4,894.52 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 1" | R5,484.78 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 1 1/4" | R8,346.16 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 1 1/2" | R14,608.99 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 2" | R17,357.37 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |




ART 681 F

Gunmetal Pressure Reducing Valve BSPP F/F Ends (ISO 228/1)
40 Bar Rated • -10°C to +95°C • Outlet Pressure 1 to 8 (Pre-set at 3 Bar)
Optional Pressure Gauge • WRAS Approved • PED 2014/68/EU
BS EN 1567:1999 approved

| Image | Size | Public Price | Spec Sheet |
|---|------|--------------|---|
|  WRAS | 1/2" | R4,367.31 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 3/4" | R4,894.52 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |
| | 1" | R5,484.78 | https://drive.google.com/file/d/1CEqcHlIA_yyYiGeNdcB2RLhEfGYyMUOf/view?usp=sharing |

ART 481 M




Pressure Control Valves

| Image | Size | Public Price | Spec Sheet |
|--|--------|--------------|---|
| Stainless Steel Pressure Reducing Valve BSP Taper M/M Ends (ISO 7/1) | | | |
| 40 Bar Rated • -10°C to +95°C • EPDM Seal • Outlet Pressure 1 to 8 | | | |
| Image | Size | Public Price | Spec Sheet |
|    | 1/2" | R22,002.87 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 3/4" | R29,776.16 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 1" | R32,021.51 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 1 1/4" | R51,922.75 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 1 1/2" | R33,382.14 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 2" | R50,272.86 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |

ART 481 F

Stainless Steel Pressure Reducing Valve BSPP F/F Ends (ISO 228/1)

40 Bar Rated • -10°C to +95°C • EPDM Seal • Outlet Pressure 1 to 8

| Image | Size | Public Price | Spec Sheet |
|--|------|--------------|---|
|    | 1/2" | R22,002.87 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 3/4" | R29,776.16 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |
| | 1" | R32,021.51 | https://drive.google.com/file/d/1kNnBTj77DlVoHZRJ8NfSvwnusYLZkrLV/view?usp=sharing |

Please note prices shown in red are items on a lead time.

Please note that all above prices are subject to change without notice.



AfriGreen[®]
African Green Distribution (Pty)

